

Maintaining your balance whilst wearing a boot

Some boots may have a thicker sole, which results in an imbalance in height with your other leg. This can lead to knee, hip or back pain. The EVENup is an easy slip-over sole, which can prevent and help eliminate your pain.

	Small	Medium	Large
EUR	34 – 38	39 – 43	44 – 46
UK	3.5 – 7	7.5 – 9.5	10 – 14
Item Code	AUSG-01-3-S	AUSG-01-3-M	AUSG-01-3-L

EVENup ® by OPEd



Without Shoe Lift

With Shoe Lift



Scan to purchase your EVENup

<https://oped-uk.com/products/evenup/>

Contact your Clinician:



Please scan to view application video on youtube



<https://www.youtube.com/watch?v=8ERHhwa317Q>



OPEd UK Ltd
 Unit 5
 Avro Business Centre
 Avro Way
 Bowerhill
 Melksham
 SN12 6TP
 United Kingdom
 Phone +44(0)1380 722177
 enquiries@oped.biz
 www.oped-uk.com

01/2022 | Häuser KG | attraction

VACOcast ® by OPEd
 DIABETIC

Why is it important to wear your boot?

Patient Leaflet



Patient Information

Your VACOCast Diabetic is a modern boot that protects your skin and tissue from damage. Wearing the boot is essential to allow your wound to heal.

With this, you are receiving the best and most recommended¹ treatment, which gives you a high level of comfort at the same time.

You can wash the liner at 60 degrees. There is a second liner in the set, which you can use in the meantime. The second sole is to have one for inside and one for outside the house.

Only remove the Boot on recommendation

It is vital that you stick with the instructions of your Clinician. Wearing the VACOCast Diabetic boot as recommended, will increase the chances of your wound to heal respectively increase the speed of healing.

What are the Consequences of not wearing the Boot?

It is vital that you wear the VACOCast Diabetic boot as recommended. Not doing so will lead to your wound deteriorating.

This can lead to a wound infection and eventually escalate to a partial or full amputation of your lower limb.²

Wearing the VACOCast Diabetic as recommended will...

- ***Considerably increase the chances of your wound healing (8 out of 10 wounds will heal within 3 months)³***
- ***Decrease the risk of your wound becoming infected, therefore reducing the risk of amputation***
- ***Improve your mobility***
- ***Improve your quality of life***

98 out of 100 patients find it very comfortable and are very satisfied with the treatment.³

1 IWGDF Offloading Guidelines 2019 <https://iwgdfguidelines.org/offloading-guideline/>
2 Wu S, Driver VR, Wrobel JS et al (2007) Foot ulcers in the diabetic patient, prevention and treatment. Vasc Health Risk Manag 3(1): 65-76.
3 Evaluating a removable knee high cast walker within the diabetic foot pathway G. Bowen, P. Spruce 2019 Diabetic Foot Journal 22(3): 52-9